

# SAFETY DATA SHEET

06-Sep-2018

# 1. IDENTIFICATION

Product identifier

Product Name Essential Everyday Heavy Duty Oven Cleaner

Other means of identification

 Product UPC
 41303-01343

 Product Code
 30118950011

 UN/ID no.
 1950

Recommended use of the chemical and restrictions on use
Recommended Use Oven Cleaner - Aerosol.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Distributor
KIK International LLC Supervalu Inc

33 Macintosh Blvd. 11840 Valley View Road. Concord, Ontario Eden Prarie, MN 55344 Canada L4K 4L5 1-877-932-7948

1-800-479-6603

Emergency telephone number

**Emergency Telephone** Poison Control Center (Medical): (866) 366-5048

Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

### 2. HAZARDS IDENTIFICATION

### Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Flammable aerosols	Category 2
Gases under pressure	Liquefied gas

#### Label elements

### **Emergency Overview**

## Danger

### Hazard statements

Harmful if inhaled

Causes severe skin burns and eye damage

Flammable aerosol

Contains gas under pressure; may explode if heated



·

Color white Physical state Aerosol, liquid Odor characteristic

#### **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 122 °F (50 °C).

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

2.406% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical Name	CAS No.	Weight-%
N-Butane	106-97-8	5 - 9
Hexylene glycol	107-41-5	4 - 8
Sodium hydroxide	1310-73-2	4 - 8

## 4. FIRST AID MEASURES

# **Description of first aid measures**

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water. If symptoms persist, call a physician.

**Inhalation** Remove to fresh air.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If

symptoms persist, call a physician.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol-resistant foam.

**Unsuitable extinguishing media** No information available.

#### Specific hazards arising from the chemical

Containers may explode when heated.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not

puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and

static electricity).

# Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with NFPA 30B for Level 1 aerosols. Keep container tightly closed in a

dry and well-ventilated place. Keep away from heat. Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/122 °F.

**Incompatible materials** Acids. Strong oxidizing agents. Aluminum.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 1600 ppm TWA: 800 ppm
			TWA: 1900 mg/m <sup>3</sup>
Hexylene glycol 107-41-5	STEL: 50 ppm vapor fraction STEL: 10 mg/m³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m³	Ceiling: 25 ppm Ceiling: 125 mg/m³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls Showers** 

> **Eyewash stations** Ventilation systems.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear protective gloves and protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Aerosol, liquid Physical state

**Appearance** Foam Odor characteristic

Color white Odor threshold No information available

Property Values Remarks • Method 13.0 - 14.0

pН

Melting point / freezing point No information available Boiling point / boiling range No information available Flash point No information available

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air Upper flammability limit: No information available

Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available **Specific Gravity** No information available Water solubility No information available

Solubility in other solvents No information available Partition coefficient No information available

**Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available Density No information available **Bulk density** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### Incompatible materials

Acids. Strong oxidizing agents. Aluminum.

# **Hazardous Decomposition Products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** Avoid breathing vapors or mists. May cause irritation of respiratory tract.

**Eye contact** Avoid contact with eyes. Risk of serious damage to eyes.

**Skin contact** Avoid contact with skin and clothing. May cause burns.

**Ingestion** May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-Butane	-	-	= 658 g/m³ (Rat) 4 h
106-97-8			
Hexylene glycol	= 3700 mg/kg (Rat)	= 12300 mg/kg (Rabbit) = 8560	> 310 mg/m³ (Rat) 1 h
107-41-5		μL/kg (Rabbit)	
Sodium hydroxide	140 - 340 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
1310-73-2			

### Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

No information available. Reproductive toxicity STOT - single exposure No information available. STOT - repeated exposure No information available. Target Organ Effects No information available. No information available. **Aspiration hazard** 

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

8.721% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hexylene glycol	-	10500 - 11000: 96 h Pimephales	2700 - 3700: 48 h Daphnia magna
107-41-5		promelas mg/L LC50 flow-through	mg/L EC50
		10000: 96 h Lepomis macrochirus	
		mg/L LC50 static 8690: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 10700: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Sodium hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
N-Butane 106-97-8	2.89
Hexylene glycol 107-41-5	<0.14

# Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes

regulations.

Do not reuse container. Refer to all federal, state and local regulations prior to disposal of Contaminated packaging

container and unused contents by reuse, recycle or disposal.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic
1310-73-2	Corrosive

Sodium hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note: Limited quantity (LQ) exception is possible

DOT

**UN/ID no.** 1950

Proper shipping name AEROSOLS
Hazard Class 2.1 (8)
Packing Group None

**Description** UN1950, AEROSOLS, 2.1 (8)

**IMDG** 

UN/ID no. 1950
Proper shipping name AEROSOLS
Hazard Class 2.1 (8)
Packing Group None

**Description** UN1950, AEROSOLS, 2.1 (8)

### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard Yes
Reactive Hazard No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb	-	-	X
1310-73-2				

#### CERCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb	=	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
N-Butane	X	X	X
106-97-8			
Hexylene glycol	X	X	X
107-41-5			
Sodium hydroxide	X	X	X
1310-73-2			

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** This product does not contain any substances regulated as pesticides **Difference between SDS and CPSC label** 

This product is regulated under Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act (16 CFR Part 1500). These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace product labels.

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 2 Instability 0 Physical and Chemical Properties -

Health hazards 3 Flammability 2 Physical hazards 0 Personal protection B

Prepared By Regulatory Affairs Revision Date Regulatory Affairs

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**