according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : PLEDGE® FURNITURE POLISH REVITALIZING OIL

Recommended use : Furniture Polish/Cleaner

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	64742-46-7	30.00 - 60.00
White Mineral Oil, (Petroleum)	8042-47-5	30.00 - 60.00
Citrus, Extract	94266-47-4	1.00 - 5.00

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation No special requirements.

Ingestion No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information Fight fire with normal precautions from a reasonable distance.

> Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

Dike large spills.

Clean residue from spill site.

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

areas and containers

Requirements for storage : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
White Mineral Oil, (Petroleum)	8042-47-5	5 mg/m3	-	-	OSHA TWA
White Mineral Oil, (Petroleum)	8042-47-5	5 mg/m3	-	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection No special requirements.

No special requirements. Eye protection

Skin and body protection No special requirements.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : yellow

Odor : pleasant

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

Flash point : 102 °C

215.6 °F

Method: Tag Closed Cup (TCC)

Evaporation rate : No data available

Flammability (solid, gas) : Does not sustain combustion.

Upper/lower flammability or

explosive limits

: Not applicable

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.8424 g/cm3 at 40 °C

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

Solubility(ies) : negligible

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, dynamic : 24 mPa.s

at 40 °C

Viscosity, kinematic : 28.5 mm2/s

at 40 °C

Oxidizing properties : No data available

Volatile Organic : 1.1 % - additional exemptions may apply

Compounds *as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : None known.

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50

Calculated > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available			
White Mineral Oil, (Petroleum)	LC50	Oncorhynchus mykiss (rainbow trout)	> 100 mg/l	96 h
Citrus, Extract	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available			
White Mineral Oil, (Petroleum)	LC50	Daphnia magna (Water flea)	> 100 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1	Print Date 03/04/2015
VEISION I.I	1 IIII Date 05/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

Citrus, Extract	No data available		

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available			
White Mineral Oil, (Petroleum)	NOEC	Green algea	>= 100 mg/l	72 h
Citrus, Extract	No data available			

Persistence and degradability

reisistence and degradability				
Component	Biodegradation	Exposure time	Summary	
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	74 %	28 d	Readily biodegradable	
White Mineral Oil, (Petroleum)	No data available			
Citrus, Extract	No data available			

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	No data available
White Mineral Oil, (Petroleum)	No data available	> 6
Citrus, Extract	No data available	No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

Mobility

Component	End point	Value
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	-
White Mineral Oil, (Petroleum)	No data available	
Citrus, Extract	No data available	

PBT and vPvB assessment

Component	Results
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	Not fulfilling PBT and vPvB criteria
White Mineral Oil, (Petroleum)	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

Health	1	
Flammability	1	
Reactivity	0	

NFPA Ratings

Health	1	
Fire	1	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH REVITALIZING OIL

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000017409

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)